

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	network and (standby near3 card) and (active near3 card)	USPAT	OR	ON	2004/03/06 13:01
S2	671	(logical near3 (channel or connection) near3 number)	USPAT	OR	ON	2003/08/18 15:29
S3	0	((logical near3 (channel or connection) near3 number)) and (standby near3 card) and (active near3 card)	USPAT	OR	ON	2003/08/18 15:25
S4	25	((logical near3 (channel or connection) near3 number)) and standby and active	USPAT	OR	ON	2003/08/18 15:25
S5	707	(logical near3 (channel or connection) near3 (number or database))	USPAT	OR	ON	2003/08/18 15:38
S6	28	(logical near3 (channel or connection) near3 (number)) with (database or list or array)	USPAT	OR	ON	2003/08/18 16:32
S7	48	logical near3 (channel or connection) near3 database	USPAT	OR	ON	2003/08/20 09:45
S8	28	(logical near3 (channel or connection) near3 number) with (database or array or list)	USPAT	OR	ON	2003/08/20 10:40
S9	29	(logical near3 (channel or connection) near3 number) with (database or array or list or pool or freelist)	USPAT	OR	ON	2003/08/20 09:51
S10	327	(logical near3 (channel or connection)) with (database or array or list or pool or freelist)	USPAT	OR	ON	2003/08/20 10:26
S11	8	(hot near3 standby) and lcn	USPAT	OR	ON	2003/08/20 10:28
S12	437	virtual near3 circuit near3 identifier	USPAT	OR	ON	2003/08/20 10:43
S13	1	(virtual near3 circuit near3 identifier) with (database or pool or (free near list) or freelist or array)	USPAT	OR	ON	2003/08/20 10:41
S14	598	virtual near3 circuit near3 ((standby or unuse\$3) or (active or use\$3))	USPAT	OR	ON	2003/08/20 10:45
S15	11	(virtual near3 circuit near3 ((standby or unuse\$3))) and (virtual near3 circuit near3 (active or use\$3))	USPAT	OR	ON	2003/08/20 10:51
S16	14	(virtual near3 circuit near3 ((standby or unuse\$3 or backup))) and (virtual near3 circuit near3 (active or use\$3 or main))	USPAT	OR	ON	2003/08/20 11:11
S17	0	(virtual near3 circuit near3 fail\$5) with (swap\$3)	USPAT	OR	ON	2003/08/20 12:00

S18	0	(virtual near3 circuit near4 fail\$5) with (swap\$3)	USPAT	OR	ON	2003/08/20 12:00
S19	0	710/17.ccls. with ((first near3 memory) and (second near3 memory))	USPAT	OR	ON	2003/08/20 12:01
S20	115	710/17.ccls.	USPAT	OR	ON	2003/08/20 12:22
S21	1	710/17.ccls. and (LCN or (virtual near3 circuit))	USPAT	OR	ON	2003/08/20 13:01
S22	3	(virtual near3 circuit) with fail\$4 with (replace\$3 or backup or unused)	USPAT	OR	ON	2003/08/20 12:42
S23	1	(virtual near3 circuit) near4 standby	USPAT	OR	ON	2003/08/20 12:42
S24	4	(virtual near3 (circuit or link or channel or card)) near4 standby	USPAT	OR	ON	2003/08/20 12:43
S25	4	(virtual near3 (circuit or link or channel or card or board)) near4 standby	USPAT	OR	ON	2003/08/20 12:46
S26	7	370/228.ccls. and swap\$3	USPAT	OR	ON	2003/08/20 12:59
S27	2	"6278688".URPN.	USPAT	OR	OFF	2003/08/20 12:50
S28	3	370/228.ccls. and lcn	USPAT	OR	ON	2003/08/20 12:59
S29	16	370/228.ccls. and (LCN or (virtual near3 circuit))	USPAT	OR	ON	2003/08/20 15:24
S30	0	(hot-swapped or (hot near3 swapped)) with (LCN or (virtual near3 circuit))	USPAT	OR	ON	2003/08/20 13:10
S31	1	370/228.ccls. and (hot-swapped or (hot near3 swapped))	USPAT	OR	ON	2003/08/20 13:11
S32	302	370/228.ccls.	USPAT	OR	ON	2003/08/20 15:53
S33	0	370/228.ccls. and (LCN or (virtual near3 circuit) or (logical near3 channel) or (logical near3 connection))	USPAT	OR	OFF	2003/08/20 15:53
S34	29	370/228.ccls. and (LCN or (virtual near3 circuit) or (logical near3 channel) or (logical near3 connection))	USPAT	OR	ON	2004/02/27 13:58
S35	26	((backup or standby) near3 (link or channel or (VC or (virtual near3 circuit)) or (Logical near2 connection)))) with (database or pool or array)	USPAT	OR	ON	2003/08/20 17:23
S36	0	((logical or virtual) near2 (channel or connection) near2 number) with (active and standby)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 16:33

S37	0	((logical or virtual) near2 (channel or connection) near2 number) or LCN) with (active and standby)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:05
S38	2281	((logical or virtual) near2 (channel or connection) near2 number) or LCN)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:37
S39	24	((logical or virtual) near2 (channel or connection) near2 number) or LCN)) same (backup or standby)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:08
S40	231	(backup or standby) with (virtual or logical) with (path or link or channel or connection)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:31
S41	2677	((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:39
S42	5	((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with (backup or standby or protect\$4 or available) with (pool or database or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:43
S43	148	((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with (backup or standby or protect\$4 or available)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/27 14:44
S44	18	synchroniz\$6 with (Active or working or primary) with (Backup or standby or secondary or available or protect\$4) with (logic\$3 or virtual) with (channel or path or link or connection)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 10:34
S45	6802	(channel or link or path) near3 (map\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 10:35
S46	6749	(channel or link or path) near3 (map\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 10:39
S47	603	((channel or link or path) near3 (map\$4)) and ((logical or virtual) near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 10:57
S48	40	((channel or link or path) near3 (map\$4)) and ((logical or virtual) near3 connection near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 10:49

S49	737	((channel or link or path) near3 (map\$4)) and ((logic\$3 or virtual) near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 11:01
S50	500	(((channel or link or path) near3 (map\$4)) and ((logic\$3 or virtual) near3 number)) and ((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (channel or path or link))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 11:00
S51	31	(((channel or link or path) near3 (map\$4)) and ((logic\$3 or virtual) near3 number)) and ((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (channel or path or link))) and ((logical or virtual) near3 connection near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 11:01
S52	564	hot near3 standby	USPAT	OR	ON	2004/03/05 17:58
S53	40	(((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with index	USPAT	OR	ON	2004/03/05 18:04
S54	45	(((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with index\$3	USPAT	OR	ON	2004/03/05 18:05
S55	0	((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (LCN or (logic\$2 near2 connection near2 number))) with (index\$3)	USPAT	OR	ON	2004/03/06 12:55
S56	0	(standby near3 card) and (active near3 card) and (LCN or (logic\$2 near2 connection near2 number))	USPAT	OR	ON	2004/03/06 13:02
S57	0	standby with active with (LCN or (logic\$2 near2 connection near2 number))	USPAT	OR	ON	2004/03/06 13:02
S58	4	((("5138614") or ("5093824")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/06 13:21
S59	2	standby same active same (LCN or (logic\$2 near2 connection near2 number))	USPAT	OR	ON	2004/10/04 15:56
S60	1	(standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (LCN or (logic\$2 near2 connection near2 number)) with (active or working)	USPAT	OR	ON	2004/10/04 15:56

S61	50	((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (LCN or (logic\$2 near2 connection near2 number))) and (network or packet)	USPAT	OR	ON	2004/10/04 15:56
S62	111	(standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (LCN or (logic\$2 near2 connection near2 number))	USPAT	OR	ON	2004/10/04 15:56
S63	46	(((((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with index\$3) and (standby or unused or spare or inactive or Backup or secondary or protect\$4 or available)	USPAT	OR	ON	2004/10/04 16:08
S64	13	(hot near3 standby) and (((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN))	USPAT	OR	ON	2004/10/04 15:57
S65	34	(((((channel or link or path) near3 (map\$4)) and ((logic\$3 or virtual) near3 number)) and ((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (channel or path or link))) and ((logic\$3 or virtual) near3 connection near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 16:08
S66	47	network and (standby near3 card) and (active near3 card)	USPAT	OR	ON	2005/02/09 16:04
S67	5	(network near3 card) with (standby and active)	USPAT	OR	ON	2005/02/09 16:04
S68	13	(hot near3 standby) and (((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN))	USPAT	OR	ON	2005/02/09 16:05
S69	35	(((((channel or link or path) near3 (map\$4)) and ((logic\$3 or virtual) near3 number)) and ((standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (channel or path or link))) and ((logic\$3 or virtual) near3 connection near3 number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:05
S70	47	(((((logical or virtual) near2 (channel or connection) near2 number) or LCN or VCN)) with index\$3) and (standby or unused or spare or inactive or Backup or secondary or protect\$4 or available)	USPAT	OR	ON	2005/02/10 10:32

S71	1	(standby or unused or spare or inactive or Backup or secondary or protect\$4 or available) with (LCN or (logic\$2 near2 connection near2 number)) with (active or working)	USPAT	OR	ON	2005/02/09 16:19
-----	---	--	-------	----	----	------------------